

NO-TOX®





NO-TOX®

FOOD GRADE LUBRICATION GUIDE

BEARING LUBRICATION

| Location & Equipment | Location Point | Recommended Food Grade Lubricant | Legacy | SAP Number |
|---|----------------------------|--|--------------|----------------|
| General Equipment | Pillow/Pillar Block/Flange | No-Tox® HD Food Grade Grease 1, 2 | 62270, 62280 | 301569, 301059 |
| General Equipment -40°C (-40°F) to 204°C (400°F) | Bearings/Bushings/Flange | No-Tox Food Grade Synthetic EP Grease 1, 2 | 65380, 65390 | 301598, 301319 |
| General Equipment | Bearings/Bushings | No-Tox Food Grade Clear Grease 1, 2 | 62250, 62260 | 301567, 301568 |
| Low Temperature Down to -68°C (-90°F) | Freezer Bearings | No-Tox Food Grade Low Temperature Grease | 62470 | 301573 |
| Pumps | Pump Bearings | No-Tox Syntra™ Food Grade Synthetic Oil 46, 68 | 64235, 64236 | 301316, 301590 |

CHAIN LUBRICATION

| Location & Equipment | Location Point | Recommended Food Grade Lubricant | Legacy | SAP Number |
|---|------------------------|--|--------|------------|
| Conveyor Gravity Feed Automatic Oilers | Roller Chain Oilers | No-Tox HD Food Grade Oil 100 | 62685 | 301578 |
| Engineered Drag Chains (Gravity Brush) | Pintle (Non Roller) | No-Tox Food Grade Waterproof Chain Lubricant | 64060 | 301247 |
| General Equipment | Roller Chains | No-Tox Food Grade Waterproof Chain Lubricant Spray | 64070 | 301248 |
| Spiral Freezer & Chiller Down to -63°C (-81°F) | Low Temperature Chains | No-Tox Syntra Food Grade Synthetic Oil 32 | 64234 | 301315 |

COMPRESSOR & VACUUM PUMP LUBRICATION

| Location & Equipment | Location Point | Recommended Food Grade Lubricant | Legacy | SAP Number |
|--------------------------|----------------|---|---------------------|------------------------|
| Compressors | Reservoir | No-Tox Syntra Food Grade Synthetic Oil 46, 68 | 64235, 64236 | 301316, 301590 |
| Compressors | Reservoir | No-Tox Syntra Food Grade Synthetic Oil 32, 46, 68 | 64234, 64235, 64236 | 301315, 301316, 301590 |
| Refrigeration Compressor | Reservoir | No-Tox HD Food Grade Oil 32, 46, 68 | 62682, 62683, 62684 | 301061, 301240, 300931 |
| Vacuum Pumps | Reservoir | No-Tox Syntra Food Grade Synthetic Oil 68, 100, 150 | 64236, 64237, 64238 | 301590, 301591, 301068 |
| Vacuum Pumps | Reservoir | No-Tox HD Food Grade Oil 68, 100, 150 | 62684, 62685, 62686 | 300931, 301578, 301579 |

GEAR LUBRICATION

| Location & Equipment | Location Point | Recommended Food Grade Lubricant | Legacy | SAP Number |
|----------------------|----------------|---|--------------|----------------|
| Beveled Gears | GBX Reservoir | No-Tox HD Food Grade Oil 100 | 62685 | 301578 |
| Beveled Gears | GBX Reservoir | No-Tox Syntra Food Grade Synthetic Oil 100 | 64237 | 301591 |
| Helical Gears | GBX Reservoir | No-Tox HD Food Grade Oil 220, 320 | 62687, 62688 | 301241, 300920 |
| Helical Gears | GBX Reservoir | No-Tox Syntra Food Grade Synthetic Oil 220, 320 | 64239, 64240 | 300934, 301592 |
| Worm Gears | GBX Reservoir | No-Tox HD Food Grade Oil 460 | 62689 | 301242 |
| Worm Gears | GBX Reservoir | No-Tox Syntra Food Grade Synthetic Oil 460 | 64241 | 301317 |



SCAN FOR A DIGITAL COPY



HYDRAULIC & PNEUMATIC LUBRICATION

| Location & Equipment | Location Point | Recommended Food Grade Lubricant | Legacy | SAP Number |
|------------------------------|---------------------|---|---------------------|------------------------|
| Airline Lubricators | Airline Lubricator | No-Tox Food Grade Air Line Lubricant | 62050 | 301564 |
| Biodegradable Fire Resistant | Hydraulic Reservoir | No-Tox BioFR Hydraulic 46 | 65422 | 301919 |
| Hydraulic Central Systems | Hydraulic Reservoir | No-Tox HD Food Grade Oil 32, 46, 68 | 62682, 62683, 62684 | 301061, 301240, 300931 |
| Hydraulic Central Systems | Hydraulic Reservoir | No-Tox Syntra Food Grade Synthetic Oil 32, 46, 68 | 64234, 64235, 64236 | 301315, 301316, 301590 |
| Hydraulic Units | Hydraulic Reservoir | No-Tox HD Food Grade Oil 32, 46, 68 | 62682, 62683, 62684 | 301061, 301240, 300931 |
| Hydraulic Units | Hydraulic Reservoir | No-Tox Syntra Food Grade Synthetic Oil 32, 46, 68 | 64234, 64235, 64236 | 301315, 301316, 301590 |

SPECIALTY & GENERAL MAINTENANCE LUBRICATION

| Location & Equipment | Location Point | Recommended Food Grade Lubricant | Legacy | SAP Number |
|---|-------------------------------|--|---------------------|------------------------|
| Can Seamers, Rotary Can Cookers | Turrets, Lift Cylinders | No-Tox Food Grade Seamer Oil 150 | 64227 | 301312 |
| Conveyor Guides/Wear Strips | Slides & Guides | No-Tox Food Grade Silicone Lubricant Spray | 61780 | 300879 |
| Mixers, Blades, Injection Needles, Hooks, Shackles | Direct Contact 3H | No-Tox Food Grade Divider Oil 15,32, and 68 | 21100, 24400, 62320 | 301685, 300991, 301570 |
| Multipurpose Lubricant Aerosol | Chains, Cables, Miscellaneous | No-Tox Food Grade Multipurpose Lubricant Spray | 61881 | 301561 |
| White Grease Aerosol | Gears, Cams, Sleeve Bearings | No-Tox Food Grade White Grease Spray | 62440 | 301571 |





BEL-RAY[®]

For over 75 years, Bel-Ray® has been a leader in lubrication technology. Our products are engineered to protect equipment, reduce downtime and maximize operational efficiency to deliver superior business value across a wide variety of applications, including Automotive, Motorcycle and Power Sports, Mining, Oil and Gas Pipeline Operations, Food Processing, Heavy Equipment and other Industries.

Bel-Ray products have achieved the highest standards of quality and performance, while operating under harsh conditions and the toughest environments, earning the trust of Industrial Maintenance, Reliability and Engineering professionals across the globe.

CALUMET

Calumet (NASDAQ: CLMT) is a leading independent producer of high-quality, specialty hydrocarbon products and services customers around the world. Calumet processes crude oil and other feedstocks into customized lubricating oils, solvents and waxes used in consumer, industrial and automotive products; produces fuels including renewable diesel, renewable gasoline and is a leading producer of Sustainable Aviation Fuel (SAF) in North America; and provides oilfield services and products to customers throughout the United States.

Headquartered in Indianapolis, Indiana, over 1,600 team members operate at 12 specialty product manufacturing and production facilities across North America, producing 1.900+ unique products, which are available in more than 90 countries across the world, serving 2.400+ customers globally.

Calumet acquired Bel-Ray in December 2013 which is a part of the Performance Brands portfolio.

The NSF® categorizes food grade lubricants based on their potential contact with food, with H1* and 3H** being key classifications.

H1 Lubricants are designed for use when incidental, unavoidable food contact may occur, such as on machinery near food.

- Typically used in equipment and machinery such as on conveyor belts, pumps, and other parts of food processing machinery
- Meets NSF specific criteria for safety, including being odorless, non-toxic and non-reactive with food
- Allowed amount of lubricant that can be transferred to the food product is limited to a trace amount, often specified as 10 parts per million (10 ppm)

3H Lubricants are water-soluble oils, often edible oils, and biodegradable, used for rust prevention and cleaning on equipment.

- Typically applied to hooks, trolleys and similar equipment used in food processing
- Direct food contact is acceptable and does not need to be removed

Bel-Ray No-Tox products are NSF H1 and/or NSF 3H Registered, kosher and pareve approved and halal certified.

*NSF H1 = Incidental Food Contact **NSF 3H = Direct Food Contact







NSF® is a registered trademark of NSF International

The Halal logo is a registered trademark of the Islamic Food and Nutrition Council of America (IFANCA)

f /belraycompany

belray

All trademarks are owned or licensed by Calumet Branded Products, LLC ("Calumet")—a wholly-owned subsidiary of Calumet, Inc.—or an affiliate, unless otherwise specified. These trademarks may be registered in the U.S. and elsewhere.

Calumet Branded Products, LLC

1060 N Capitol Ave | Suite 6-401 Indianapolis, IN | 46204 Telephone | +1-317-328-5660

BEL-RAY.COM